DOCUMENT RESUME

ED 092 710 CE 001 439

TITLE Automotive Body Trim and Glass; Automotive Mechanics

2: 9045.05.

INSTITUTION Dade County Public Schools, Miami, Fla.

PUB DATE Jan 73

NOTE 20p.; Authorized Course of Instruction for the

Quinmester Program

EDRS PRICE MF-\$0.75 RC-\$1.50 PLUS POSTAGE

DESCRIPTORS *Auto Body Repairmen; Auto Mechanics; Course Content;

*Course Objectives; *Curriculum Guides; Equipment Maintenance; *Glaziers; Job Skills; Performance Criteria; Sheet Metal Work; *Technical Education;

Trade and Industrial Education

IDENTIFIERS Florida: *Quinmester Program

ABSTRACT

This document presents an outline for a 135-hour course designed to help students become employable with skills, knowledge, attitudes, and values necessary for performing the required service of the automotive trim and glass mechanic. The course of study includes an orientation to the course, service tools and bench skills development, and a study of automotive body trim and glass. The behavioral objectives and performance standards necessary for a person to become an automotive trim and glass mechanic are specified. A nine-item bibliography, a list of four films, and a Quinmester post test sample are included. (KP)



AUTHORIZED COURSE OF INSTRUCTION FOR THE

US DEPARTMENT OF HEALTH.

EDUCATION & WELFARE
NATIONAL INSTITUTE OF
EDUCATION
THIS DOCUMENT HAS BEEN REPRO
OUCED EXACTLY AS RECEIVED FROM
THE PERSON OR OPGANIZATION ORIGIN
ATING IT POINTS OF VIEW UR OPINIONS
STATED DO NOT NECESSARILY REPRE
SENT OFFICIAL NATIONAL INSTITUTE OF
EDUCATION POSITION OR POLICY

Course Cutline AUTOMOTIVE MECHANICS 2 - 9045 (Automotive Body Trim and Glass) Department 48 - Course 9045.05



DIVISION OF INSTRUCTION-1973

A D E C O U N T Y P U B L I C S C H O D L S 1450 NORTHEAST SECOND AVENUE MIAMI, FLORIDA 33132

Course Outline
AUTOMOTIVE MECHANICS 2 - 9045
(Automotive Body Trim and Glass)
Department 48 - Quin 9045.05

county office of VOCATIONAL AND ADULT EDUCATION



THE SCHOOL BOARD OF DADE COUNTY

Mr. G. Holmes Braddock, Chairman
Mr. William H. Turner, Vice-Chairman
Mrs. Ethel Beckham
Mrs. Crutcher Harrison
Mrs. Phyllis Miller
Mr. Robert Renick
Dr. Ben Sheppari

Dr. E. L. Whigham, Superintendent of Schools
Dade County Public Schools
Miami, Florida 33132

January, 1973

Published by the School Board of Dade County



Course Description

9045 48 9045,05 Automotive Body Trim & Glass State Category County Dept. County Course Course Title
Number Number Number

This Quinmester course is designed as one of a group of quinmester courses offered in the field of Auto Mechanics. The student will receive the general information, technical knowledge, basic skills, attitudes and values that are required for job entry level as mechanics helper. This course will be given in a 9 week period.

Indicators of success: The applicant must demonstrate an eighth grade equivalency score in reading and math and have average ability in mechanical aptitudes.

Clock Hours: 135



PREFACE

The following quinmester course cutline is a guid: to help students become employable with skills, knowledge, attitudes and values necessary for performing the required service of the automotive trim and glass mechanic.

This course is designed as a foundation quinmester course for the field of Automotive Mechanics. This outline consists of four blocks of instruction which are subdivided into several units each. It is only part of a series of outlines designed for the complete automotive mechanic. This course is 135 hours in length.

Prerequisites for this course are as follows: the student must have an eighth grade equivalency score in reading comprehension, arithmetic fundamentals, and mechanical aptitudes. The student must be physically and mentally able to profit from this training.

Instruction consists of demonstrations, lectures, group discussions, audiovisual aids and resource people from industry. Instruction is flexible to meet individual needs and abilities.

The bibliography lists several basic references along with supplementary references and audiovisual aids.

This outline was developed through the cooperative efforts of the instructional and supervisory personnel, the Quinmester Advisory Committee, and the Vocational Curriculum Materials Service, and has been approved by the Dade County Vocational Curriculum Committee.



TABLE OF CONTENTS with Suggested Hourly Breakdown

		Page
GOALS . Specifi	C BLCCK CBJECTIVES	iii iv 5
BLOCK		
r.	ORIENTATION (5 hours) Objectives of Course	1 1
II.	SERVICE TOOLS AND BENCH SKILLS (30 hours) Automotive Hand Tools	1
III.	AUTOMOTIVE BODY TRIM AND GLASS (100 hours) Exterior Trim and Hardware	ខេត្តមាន
IV.	QUINMESTER POST-TEST	
ADDEN	DIV. OHIMMESTED BOST_TEST SAMPLE	7



GOALS

The automotive mechanic trainee must be able to demonstrate:

- 1. The skills and knowledge required to perform maintenance service and repairs to the automotive body and sheet metal parts.
- 2. The ability to diagnose, align and adjust component parts of the automotive body.
- 3. Pride and respect for craftmanship in this occupational field.
- 4. Positive attitudes regarding the value and dignity of work.
- 5. Safe work habits and proper shop behavior to guard against accidents.
- 6. An incentive to continue with more advanced training within this occupational field.



SPECIFIC BLOCK DBJECTIVES

BLOCK I. ORIENTATION

The student must be able to:

- 1. List the opportunities that are evailable for career in the automotive mechanical occupation by written assignment.
- 2. State what will be expected of him as an automotive mechanic oral or written.
- 3. Demonstrate skills and knowledge which will prepare him for a safe working life by actual shop assignments.
- 4. Demonstrate an understanding of shop organization by written assignments.
- 5. Demonstrate pride and respect for workmanship by his performance.
- 6. Demonstrate understanding and acceptance of personal responsibilities by his actions in class room or laboratory.

BLOCK II. SERVICE TOOLS AND BENCH SKILLS

The student must be able to:

- 1. Define the general type of tools and their use by written test.
- 2. Exhibit the ability to use the applicable tools and perform bench skills in proper manner by selection and use.
- 3. Demonstrate the proper care and maintenance of tools and equipment by following written instructions.
- 4. Exhibit the ability to observe safety precautions in the use of tools and equipment by his performance in laboratory.

BLOCK III. AUTOMOTIVE BODY TRIM AND GLASS

The student must be able to:

- 1. Demonstrate an understanding of body moldings and their function by related and manipulative assignments.
- 2. Demonstrate an understanding of body trim items and glass by performing related assignments.
- 3. Demonstrate an understanding of door assemblies by removal and assembly of component parts.
- 4. Demonstrate an understanding of door alignment by removing, installing and realignment of door.
- Demonstrate an understanding of hood assemblies and alignment by removal, disassembly, reassembly, installing and adjusting hood.
- 6. Demonstrate an understanding of bumper assemblies and alignment by removal disassembly, reassembly, installing and adjusting bumper.
- 7. Exhibit the ability to identify make and model of automobiles by study of shop manuals.
- 8. Demonstrate the ability to remove, reinstall, adjust and align rear compartment cover by performing assignment.



BLOCK IV. QUINMESTER POST-TEST

The student must be able to:

1. Satisfactorily complete the quinmester post-test.



Course Cutline

AUTOMOTIVE MECHANICS - 9045 (Automotive Body Trim and Glass)

Department 48 - Quin 9045.0\$

I. ORIENTATION

- A. Objectives of Course
 - 1. Standards
 - 2. Methods of Evaluation
 - a. Written test .
 - b. Oral
 - c. Manipulation
 - d. Oiagnosis and job performance
 - e. Teaching methods

B. Student Benefits

- 1. Opportunity of employment
 - a. Scope of trade
 - b. Job opportunities
- 2. Qualifications for employment
 - a. Job competency
 - b. Attitudes
 - c. Dependability
 - d. Pride of workmanship
 - e. Experience
 - f. Foundation for more education and learning

C. Student Responsibilities

- 1. School policies and expense
- 2. School regulations
- 3. Shop rules and procedures
 - a. Care of hand tools
 - b. Use and care of equipment
 - c. Materials and supplies
 - d. Appropriate dress
 - e. Reporting loss of equipment
 - f. Reporting defective equipment
 - g. Housekeeping
 - h. Employee-Employer relations
 - i. Employee-customer relations

II. SERVICE TOOLS AND BENCH SKILLS

- A. Automotive Hand Tools
 - 1. Types and sizes
 - 2. Uses and safety precautions
 - a. Removing and replacing
 - b. Orilling
 - c. Aligning
 - d. Adjusting
 - e. Power tools
 - f. Vises and clamps
 - g. Lifting devices



- Measuring devices
 1. Steel tape

 - Tram gauge
 - a. Numerical measurements
 - b. Compartive measurements

III. AUTOMOTIVE BODY TRIM AND GLASS

- Α. Exterior Trim and Hardware
 - Methods of manufacture
 - a. Cost
 - **b**. Stamped
 - C. Formed
 - Methods of installation
 - Spring clips **a**.
 - Ь, T bolts
 - Barrell clips C.
 - Speed clips **7.**
 - Screws €.
 - f. Plastics clips
- B., Interior Trim and Hardware
 - 1. Function
 - Description
 - Construction
 - Material 4.
 - ۵. Fabric
 - Plastic b.
 - c. Vinyl
 - Chrome d.
 - White metal €.
 - f. Aluminum
 - Removal and installation
 - a. Methods
 - Type of fasteners **b**:
- C. Door Glass
 - Types 1.
 - Construction 2.
 - Function
 - a. Státionary
 - Movable Ь.
 - C. Laminated
 - Solid tempered
 - 4. Aligning and adjusting
 - a. Principles of adjusting
 - Methods of alignment Ь,
 - Types of adjustment C.
 - d. Nomenclature



O. Ocor Assemblies

- 1. Manufacturing
 - a. Methods
 - b. Materials
 - c. Types
 - d. Function
 - e. Sealing
- 2. Installation and adjusting
 - a. Procedures
 - b. Type of adjusting
 - c. Safety precautions
 - d. Attachments
 - e. Alignment

E. Hood Assemblies

- 1. Manufacturing
 - a. Method
 - b. Materials
 - c. Types
 - d. Function
- 2. Installation and adjusting
 - a. Procedures
 - b. Safety precautions
 - c. Attachments
 - d. Adjustments
 - e. Alignment

F. Rear Compartment Cover Assemblies

- 1. Manufacturing
 - a. Method
 - b. Materials
 - c. Types
 - d. Function
 - e. Sealing
- 2. Installation and adjusting
 - a. Procedures
 - b. Safety precautions
 - c. Attachments
 - d. Alignment
 - e. Adjusting

G. Bumper Assemblies

- 1. Manufacturing
 - a. Methods
 - b. Materials
 - c. Types
 - d. Function
- 2. Installation and adjusting
 - a. Procedures
 - b. Safety precautions
 - c. Adjustments
 - d. Attachments
 - e. Alignment





: EIBLIOGRAPHY [Automotive Body Trim and Glass]

Basic Aeferences:

- Frazee, Irving. Bedel, Earl L. Spicer, Edward. <u>Auto-motive Collision Work</u>. Chicago, Illinois. American Technical Society, 1953 First Printing. p. 24, p. 245, p. 257.
- 2. Tobolt, Bill, <u>Auto Body Repairing and Painting</u>. Homewood, Illinois. The Goodhart Wilcox Co. Inc. 1965 p. 88
- Venck, Ernest. Spicer, Edward; Davis, Ewart S. <u>Auto-motive Collision Work</u>. Chicago, Illinois. American Technical Society. Third Printing, 1964. p. 27.

Instructional Manuals and Guides:

- 4. 1969 Fisher Body Service Manual. 1968 General Motors Corp. August, 1968.
- 1971 Car Shop Nanual. 1970 Ford Marketing Corp. Dearborn Michigan. First Printing, September 1970.
- 6. Motor's Crash Estimating Guide. New York City: The Hearst Corporation.

Films:

- 1. ABC of Hand Tools. Part I, 16mm, 18 min. Color. Sound. General Motors, Dade County No. 1-11397
- 2. ABC of Hand Tools, Part II. 16mm. 16 min. Color. Sound. General Motors, Dade County No. 1-11399
- Accidents Happen to Sam. 16mm. 13 min. B/W. Sound. National Safety. Dade County No. 1-11339
- 4. I Want A Job. 16mm. 26 min. B/W. Sound. Ford Motor Company. Dade County No. 1-11568



A P P E N D I X

Quinmester Post-Test Samples



QUINMESTER POST-TEST

The following items are multiple choice. Select the number you believe correct:

- 1. The size wrench used on a 5/16" bolt is
 - 1. %"
 - 2. 9/15"
 - 3. %"
 - 4. 5/B"
- 2. The size wrench used on a " bolt is
 - 1. 3/4"
 - 2. 13/16"
 - 3. 7/15"
 - 4. 9/16"
- 3. The size wrench used on a 3/8" bolt is
 - 1. 7/8"
 - 2. 9/16"
 - 3. 7/16"
 - 4. %"
- 4. Sheet metal screws are used extensively in the assembling of automobile bodies. The type most commonly used is the
 - 1. Pan head
 - 2. Allen head
 - 3. Phillips head
 - 4. Clutch head
- Of the following size Phillips screw drivers, the one used most is
 - 1. No. 1
 - 2. No. 2
 - 3. No. 3
 - 4. No. 4 /
- 6. The type socket used on a square nut is
 - 1. 12 point
 - 2. 8 point
 - 3. 6 point
 - 4. none of above
- 7. An impact wrench is used for
 - 1. Drilling
 - 2. Reaming
 - Removing and replacing bolts
 - 4. All of above



- 8. A die is used to
 - 1. Cut threads in a hole
 - 2. Straighten metal
 - 3. Cut threads on rod or pipe
 - 4. Ream hole
- 9. Pliers are used to
 - 1. Hold
 - 2. Tighten
 - 3. Loosen
 - 4. All of above
- 10. Hack saws are used to
 - 1. Cut sheet metal
 - 2. Cut bolts
 - 3. Cut fiber glass
 - 4. All of above
- 11. A tap is used to
 - 1. Screw on bolts
 - 2. Cut threads on rod or pipe
 - 3. Cut threads in hole
 - 4. Cut sheet metal
- 12. A steel tape is graduated in
 - 1. 5/16"
 - 2. 3/16"
 - 3. 1/46"
 - 4. All of above
- 13. A tram gauge is used to measure close tolerance such as
 - 1. .010
 - 2. .050
 - 3. .080
 - 4. Comparative measurements
- 14. A vise is used to
 - 1. Hold
 - 2. Squeeze
 - 3. Press
 - 4. All of above
- 15. A floor jack is used to
 - 1. Lift
 - 2. Squeeze
 - 3. Press
 - 4. None of above



- 15. A floor jack is used to

 1. Lift
 2. Squeeze
 3. Press
- 16. Body moldings are formed by

None of above

- 1. Dies
- 2. Stamped
- 3. Molds
- 4. All of above
- 17. Body moldings are made from the following materials
 - 1. Brass
 - 2. Aluminum
 - 3. White metal
 - 4. All of above
- 18. Plastic molding clips are used to prevent
 - 1. Rust
 - 2. Water leaks
 - 3. Distortion
 - 4. Adhesion
- 19. Spring molding clips are used for
 - 1. Inaccessible areas
 - 2. Easy installation
 - 3. Time saving
 - 4. All of above
- 20. T bolt molding clips are used most in
 - 1. Inaccessible areas
 - 2. Accessible areas
 - 3. Location immaterial
 - 4. None of above
- 21. The purposes of exterior moldings are
 - 1. Body design
 - 2. Additional strength
 - 3. Protect paint
 - 4. All of above
- 22. The purposes of interior trim are
 - 1. Appearance
 - 2. Protection
 - 3. Insulation
 - 4. All of above



- 23. To remove door trim panel it is necessary to
 - 1. Remove door
 - 2. Remove door hinges
 - 3. Remove door interior hardware
 - 4. Remove door outer panel
- 24. Front door hinge adjustments are located on
 - 1. Door and cowl posts
 - 2. Fire wall
 - 3. Rocker panel
 - 4. Quarter panel
- 25. Door hinges adjust
 - 1. Fore and aft
 - 2. Up and down
 - 3. In and out
 - 4. All of above
- 26. A door that is in too far at bottom and out too far at top can be aligned by
 - 1. Adjusting both hinges forward
 - 2. Adjusting top hinge forward
 - Adjusting bottom hinge out and top hinge in
 - 4. Adjusting both hinges up
- 27. A door that is too low leaving a wide space at top and too close at bottom can be adjusted by.
 - 1. Adjusting top hinge forward
 - Adjusting bottom hinge back
 - 3. Adjusting both hinges upward
 - 4. Adjusting both hinges forward
- 28. The door striker is adjustable up and down in and out. When aligning a door it is advisable to
 - 1. Loosen striker
 - 2. Remove striker
 - 3. Adjust' striker in as far as possible
 - 4. Adjust striker up as far as possible
- 29. When aligning door glass it is advisable to
 - 1. Remove door from car
 - 2. Remove door glass
 - 3. Use adjustments provided by factory
 - 4. None of above



- 30. The purposes of door weather strips are to
 - 1. Keep out water
 - 2. Keep out dust
 - 3. Keep out road noise
 - 4. All of above
- 31. Bumpers have factory adjustments to
 - 1. Adjust up or down
 - 2. Adjust in or out
 - 3. Adjust right or left
 - 4. All of above
- 32. Hoods are provided with adjustments to
 - 1. Adjust forward
 - 2. Adjust backward
 - 3. Adjust up or down
 - 4. All of above
- 33. When installing hood the first point of alignment is
 - 1. An even spacing adjoining cowl
 - 2. An even spacing adjoining grille or front panel
 - 3. An even spacing on sides adjoining fenders
 - 4. None of above
- 34. Hood latches are adjustable
 - 1. Forward or backward
 - 2. Right or left
 - 3. Up or down
 - 4. All of above
- 35. Rear compartment covers are provided with adjustments to
 - 1. Adjust forward
 - 2. Adjust backward
 - Adjust right or left
 - 4. All of above
- 36. Rear compartment cover hinges on some make of cars are provided with torsion rods which act as
 - 1. Supports
 - 2. Reinforcements
 - 3. Springs
 - 4. Adjusters



ANSWER KEY TO QUINMESTER POST-TEST

- 1. 3
- 2, 3
- 3. 2
- 4. 3
- 5. 2 ,
- 6. 2
- 7. 3
- 8. 3
- 9. 4
- 10. 4
- 11. 3
- 12. 4
- 13. 4
- 14. 4
- 15. 1
- 16. 4
- 17. 4
- 18. 1

- 19, 4
- 20. 2
- 21. 4
- 22. 4
- 23. 3
- 24. 1
- 25. 4
- 26. 3
- 27. 3
- 58. 5
- 29. 3
- 30. 4
- 31. 4
- 32. 4
- 33, 1
- 34. 4
- 35. 4
- 36. 3

